Date: User:

Thursday, 2/21/2008 9:26:01 AM

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number

: 37562

**Estimate Number** 

: 10267

P.O. Number

This Issue

: 2/21/2008

: NC

Prsht Rev. : 11 First Issue

Previous Run

S.O. No. :

: PURCHASED PARTS Type

: 36508

Written By Checked & Approved By

Comment

: Est: E 05.06.28

KJ/JLM Bending removed

Additional Product

1 1 1 1 mm () mm . . . Job Number:

Seq. #: imale Hill

Mary. 1. 1. 21, 4

AMOUS BIO

inten By

William . 2

1. 15.19 th.

2.7

3.0

Machine Or Operation:

Comment: PURCHASING SUSSUP

Issue P/O:\_\_\_

Laser cut as per Dwg D2438 Material release note is required

D2438B

Comment: Qty.: 1.0000 Each(s)/Unit

**CLAMP** 

PACKAGING 1

Comment: PACKAGING RESOURCE #1

Recieive & Inspect for Transit Damage

Ensure Material Release Note is attached

4.0 QC6 1 3 190

Comment: DIMENSIONAL CHECK

Inspect dimensions as per Dwg D2438

(6.786" center to center)

SMALL FAB 1 5.0

Comment: SMALL & MEDIUM FAB RESOURCE 1

. Tumble & Deburr any rough edges

**Drawing Name** : CLAMP

: D2438 Part Number

D2438 REV. C **Drawing Number** : N/A

100

Project Number

: C **Drawing Revision** 

Material

Description:

PURCHASING

C208/02121

Clamp

100.0000 Each(s)

PACKAGING RESOURCE #1

SMALL & MEDIUM FAB RESOURCE 1

Total:

: 3/10/2008 **Due Date** 

Qty:

100 Um:

Each

Eligo:

w

Dart Ae	rospace Lt	<b>a</b>								
W/O:		WORK ORDER CHANGES								
DATE	STEP	PROCEDURE CH	ANGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
									,	
			ž.							
Part No	:	PAR #: Fault Ca	egory:	NC	R: Yes	No DQ	A:	_ Date: _		
					QA:	N/C Close	d:	_ Date: _		
NCR: WORK ORDER NON-CONFORMANCE (N				E (NC	R)					

NCR:		WORK ORDER NON-CONFORMANCE (NCR)							
		Description of NC		Corrective Action Section E	Verification	A	A		
DATE ST	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspecto	
			9			•			
						7			
						i e			
				,					

NOTE: Date & initial all entries

Date: Thursday, 2/21/2008 9:26:01 AM User: Kim Johnston **Process Sheet** Drawing Name: CLAMP Customer: CU-DAR001 Dart Helicopters Services Job Number: 37562 Part Number: D2438 Job Number: Seq. #: Machine Or Operation: Description: 6.0 INSPECT WORK TO CURRENT STEP Comment: INSPECT WORK TO CURRENT STEP PACKAGING 1 PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: ·;;; 8.0 FINAL INSPECTION W/O RELEASE ----Comment: FINAL INSPECTION/W/O RELEASE Job Completion

Dart Ae	rospace	Ltd							
W/O:		3	W	ORK ORDER CHANGES					
DATE STEP		PR	OCEDURE CHA		By Date Qty			Approval Chief Eng / Prod Mgr	Approval QC Inspector
		8							
Part No	:	PAR #:	Fault Cate	gory: N	ICR: Yes	No <b>DQ</b>	A:	Date:	
		* F			QA: N	/C Close	d:	_ Date: _	W
NCR:			WORK ORD	ER NON-CONFORMAN	CE (NCR	(1)			
		Description of NC	Corrective Action Section B		Vorifi	cation	A	Approval	
DATE	STEP	Description of NC Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date		tion C	Approval Chief Eng	QC Inspector
	-				1				
Ξ					0				


NOTE: Date & initial all entries





DESIG	LE	DRAWN BY	DART AEROSPACE L' HAWKESBURY, ONTARIO, CANADA	ΓD
CHECK	(ED A	APPROVED	DRAWING NO.	REV. C
	PILO	4	D2438 sı	HEET 1 OF 1
DATE		<del>1</del>	TITLE	SCALE
98.0	)5.12		CLAMP	1:1
Α		96.01.24	NEW ISSUE	
В		96.05.13	CHANGE LENGTH	
C		98.05.12	R1.64 WAS R1.438, CHANGE GE	OMETRY

# RELEASED 19,06.17 KB



SUBJECT TO AMENDMENT WITHOUT NOTICE PUNCH ENDS PER SPEC CONTROL DRAWING D2727 0.750 4.25 -

FLAT LENGTH: 7.586 END-END

6.786 HOLE-HOLE

MATERIAL: AISI 304/316 SS 0.063 THICK

MINIMUM REQUIREMENT IS ANNEALED CONDITION

\$ 00.06.06 (P 05.06.07



180 AVENUE LABROSSE POINTE-CLAIRE, QUÉ., CANADA H9R 1A1 TÉL.: (514) 630-4877 - FAX: (514) 630-4849 ISO 9001:2000

#### BONDELIVRAISON-SHIPPINGMEMO

DATE DE LIVRAISON SHIPPING DATE	4	N°BONDE LIVRAISON SHIPPING MEMO NO.
2008/03/11		0387737

Host und division de Thomas & Betts Fabrication Inc. / GFI is a division of Thomas & Betts Manufacturing Inc.

I NOU À / SOLD TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON, K6A 1K7 EXPÉDIÉ À I SHIPPED TO

DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON, K6A 1K7

	CODE DE CLIENT CUSTOMER CODE	N° DE CONTRAT JOB NO.	N° COMMANDE 5767 PO NO.	VIA SHIPVIA		
DART G	6FI-0299	J0177650	P000006767			
QUANTITÉ QUANTITY	VOTRE N° DE PIÈ( YOUR PART NO	CE	DESCRIPT	DESCRIPTION		
100	D2438B		CLAMP CUT&FORMED  C OF C REQ'D			
			. "			

TOUTES LES RÉCLAMATIONS DOIVENT ÊTRE FAITES EN DEDANS DE 5 JOURS DE LA RÉCEPTION ALL CLAIMS MUST BE MADE WITHIN 5 DAYS OF RECEIPT OF GOODS.

## CERTIFICATE OF COMPLIANCE CERTIFICAT DE CONFORMITE



180 LABROSSE AVENUE POINTE CLAIRE, QC H9R 1A1 DART AEROSPACE LTD 1270 ABERDEEN ST. HAWKESBURY, ON K6A 1K7

CERTIF	ICATE NO.	<b>15</b>	OUR JOB NO		SHIPPING	MEMO038	37737	
ITEM	QUANTITY	PURCHASE	ORDER	PART NUMBER	REV	NAME		DWG ISSUE
3	100 PCS	PO0000	5767 ] <u>]</u>	D2438B	Č,	CLAM	P	C
	MATERIA	.L	767	SUPPLIED BY	(	7	MAT. REL. NO.	
	S.S.T 3	04	TWME	TALS / NORTH	AMERICAN		3FW6	
		PROCI	≣SS			PROCESSOR		EASE NOTE#
1 .	FIRST AR			PORT ON FILE		GEL		CONFORMS
2	**************************************							
3								
4						ON SHANNE STONE		
5				an a				
6								
7		ZZZZZ						
8								
9								
	<u> </u>							
ON R	ELEASE NOTE	Y ALL THE PAR SHOWN ABO PURCHASE OR	VE AND THA	D BY THIS CERTIFICA T ALL PARTS HAVE I ICED ABOVE.	BEEN INDIVIL	DUALLY INSPECTE	D AND CON	TERIAL SUPPLIED FORM TO THE
DATE		ocu anne			G.F.I. G	C. REP.	star H	で低い。月

### PP1-001 75-70 Bombacties Cectificate of Chonoliance

TW Metals District Procedure

Revision: 0

Revision Date: 04-05-00

Superacding: Initial

CERTIFICATE OF COMPLIANCE

#### FRAUD AND FALSIFICATION STATEMENT

The recording of false, fictious, or fraudulent statements or entries on this encuntary may be pulnished as " a telony under tederal siguites including tederal law, Tille 18 chapter 47:

#### CERTIFICATE OF COMPLIANCE

This certificate of compliance certifies that the material supplied on the purchase order number below complies in all respects with the meterial description and procurement specifications.

#### MERCURY FREE STATEMENT

We cartify that mercury, radium, or elpha bearing instruments and / or equipment which might cause contemination have not been used in the manufacture, fabrication, assembly or testing of any meterial supplied by TW Metals inc. Switches, glass thermometers, standard cell and other items containing the above elements may be used, but they will be located so as not to constitute a contamination hazard.

CUSTOMER NAME GET
PURCHASE ORDER No
TEM NO \$HIPPER INVOICE NO. 032.31619
MATERIAL 304-5/5 Short PECIFICATION A 240/07
MANUFACTURING MILL: North American Stainless
SIZE OCCOS HEAT/LOTING 3FW) (0
PARTINO_TS 06348X9(04AUANTHY: ) EA.
TEST DEPARTMENT CLERK Janie Clark

Joe Schab

Director of Quality Assurance



### Penn Stainless Products, Inc.

TW METALS- CINCINNATI
7640 REINHOLD DRIVE

**CINCINNATI, OH 45237-3312** 

We the sales of the sales

 14-Jan-08	
655347	

M49184686

### CERTIFICATE OF COMPLIANCE

Description of material:

50 PCS

SHEET 304 ANN STNLA STL 16GA POLISH #4 FINISH X 36" X 96"

MATERIAL IS #4 POLISH

JAN 2 1 2008 O

This is to certify that the material furnished on the subject is in accordance to the description and/or specifications

Penn Stainless Products Inc.

DEBRA M. KURLOWICH SHIPPING CLERK

190 KELLY ROAD

P.O. BOX 9001

QUAKERTOWN, PA 18951-9001

(215) 536-3053

FAX # (215) 536-3255

to a wall he had shoot a home TAND UN PAUL 6870 Highway 42 Rast Ghent, KV 41045-9615 (502) 347-6000 BAM NORTH AMERICAN METALLURGICAL TEST REPORT STADILESS Hall To: Certificate: 381003 02 PERS STAINLESS PROPERTS THE PERS STAINLESS PRODUCTS INC. Sate: 12/25/2007 Page: 1 F.O. BOX 9001 Customer: 0478 082 190 XELLY FORD 196 KELLY ROAD QUARAPTONI, PA 18951-9001 Steel: 304 TURRERYCHE, PA 18951-9001 Pinish: No 4 Your Order: 132221 NAS Order: XN 0385469 01 Corrosion; asrs A162/02x8:1802and-0% PRODUCT DRECKIPTION: REMARKS: STAINLESS STEEL COIL, COLD ROLLED, ARMEALED AND PICKLED, POLISHED Mat'l Pres of Mercury Contemination. No weld repairs. ASTRAJ40/07,480/06b,686/03,ASPREAZ40/04-A05,480/04-A05,BA666/04 EN 10204 3.1; QCE753F Cond A; Rolls Compliant DOS768D-A X NO PROJAMESSIBE X MEREPIS, MILSOSOD, AMDB. X CRUE MEAS Product many by a quality mot. sys. in conf. w/ISO 9001:2000 \* Melted & Manufactured in the VSA **KACE MRO 175/2001** Minimum solution annual 1900 F., Water Quenched below 800 F Product ID Coil 6 Thickness Midth Welght -----Length-----023PW6 B Piaces 0237W6 E .0595 36.0000 6,110 COIL 834.00 1 CHENICAL CM(Country of Mell) ES(Spain) US(United States) ZA(South Africa) ANALYSIS Heat C CO CR HO g BI 3FM6 .055 .099 18.528 .495 1.545 .337 .062 0.406 .030 .001 . 286 MECHARICAL PROPERTIES UTH . 2% YS ELONG Hard Tail A 252 Product ID & Coil & k o IEX IEX ЯB Bard Pr A c r E: 023FW6 E 023FW5 FT 100.7 57.11 45.38 90.50 85.50 ES OK JAN 2 1 2008 O R ACCEPTED OV NAS heraby certifies that the analysis on this certification is correct and the material meets the specifications stated. OC ENGINEER 12/25/2907 ERIC HESS :IIIIA PARTINO

Certificate of Mill Test Results 30 of Pricessa 400 Tilends 400 Ti

MOSEMARY

PO/Rel M49184686

FOR FOLISH #4 FINISH X 36.0000" X 96.0000" LS SHEET 304 ANY STULE STL TWO STAILS STL FENU STAINLESS PRODUCTS, INC.